


3D-Seismik bei Geothermieprojekten

Infohefte Heft X: Literatur zur Seismik in der Geothermie



O

Literatur zur Explorationsseismik in der Geothermie

Anmerkung: In dieser Literaturliste sind Veröffentlichungen aufgeführt, die entweder in einem direkten Bezug zu entsprechenden Stellen einem der anderen Infohefte stehen oder einen direkten Bezug zur Explorationsseismik in der Geothermie haben. Nicht aufgeführt sind Veröffentlichungen zu Nachbarthemen wie: Microseismizität, induzierte Seismizität, seismische Überwachung, passive Seismik, seismische Tomographie, ambient noise, seismic Interferometrie, seismische Netze, Reverse-time Migration und Ähnliches.

Zur Literatur siehe auch die **Datenbanken** unter Suchbegriffen wie ‚seismik‘ oder ‚seismic‘:

<https://www.geothermie.de/bibliothek/konferenzdatenbank.html> und

<https://www.geothermie.de/bibliothek/literaturdatenbank.html>.

Abul Khair, H., Cooke, D., Hand, M.: Seismic mapping and geomechanical analyses of faults within deep hot granites, a workflow for enhanced geothermal system projects. In: Geothermics Nummer () (January 2015), S. 46-56

Abul Khair, Hani, Coupling Petrography and Seismic Attributes For Locating Permeable Zones in The Cooper Basin/South Australia, a Possible Workflow for Geothermal Projects. Australian Geothermal Energy Conference, 2013

Abul Khair, Hani; Cooke, Dennis; King, Rosalind; Hand, Martin; Tingay, Mark, Preliminary Workflow for Subsurface Fracture Mapping Using 3D Seismic Surveys: A Case Study from the Cooper Basin, South Australia, Geothermal Resources Council Transactions, 2012

Agostinetti, N. P. et al.: Discovering geothermal supercritical fluids: a new frontier for seismic exploration:

In: Sci. Rep. Nummer 7 (2017), S. 14592

Aleardi M., Mazzotti A., Tognarelli A., Ciuffi S. and Casini M.: Seismic and well log characterization of fractures for geothermal exploration in hard rocks: In: Geophysical Journal International Nummer 203 (2015), S. 270-283

Aleardi, Tognarelli, Mazzotti, Ciuffi, Casini, Evidence of fractures on seismic data for geothermal exploration, European Geothermal Conference, 2013

Alvarez Gabriel (2002): Toward subsurface illumination-based seismic survey design. SEP Report 111. Stanford Exploration Project.

Anderson Richard G., McMechan George A. (1989): Automatic Editing of Noisy Seismic Data. Geophysical Prospecting, Vol.37, Issue 8.

Anderson, D. L., Minster, B. & Cole, D.: The effect of oriented cracks on seismic velocities: In: Journal of Geophysical Research Nummer 79 (1974), S. 4011-4015

Andrews, B.: Shear-wave splitting and attenuation analysis of downhole microseismic data for reservoir characterisation of the Montney Formation, Pouce Coupe, Alberta. In: MS Thesis, Colorado School of Mines (2016)

Applegate, James K.; Donaldson, Paul R., Seismic Reflection for Geothermal: Techniques and Case History, Geothermal Resources Council Transactions, 1979

Ardakani, E. P.; Schmitt, D. R., Adding to the Geophysical Tool Box for Geothermal Exploration: Use of Seismic and Magnetic Surveys in a Regional Geophysical Study for Geothermal Exploration in NE Alberta, Canada, Geothermal Resources Council Transactions, 2012

Asanuma, H., Liu, H., Niitsuma, H., Baria, R.: Identification of structures inside basement at Soultz-sous-Foret (France) by triaxial drill-bit vertical seismic profiling. In: Geothermics Nummer 28(3) (June 1999), S. 355-376

Asanuma, Hiroshi; Liu, Hakusei; Niitsuma, Hiroaki; Baria, Roy, Reflection Imaging of HDR Reservoir at Soultz-sous-Forets Using Drill Bits as a Downhole Seismic Source, Geothermal Resources Council Transactions, 1999

Ashton P., Bacon B., Déplanté C., Dickilreson T. Redkop G.: 3D Seismic Survey Design. In: Oil-field Review (1994)

Austria, David Carlo, Philip Benson, Annette Gätz, Dean Bullen: Fracture Permeability and Saturation Effects on the Seismic Attributes of Hydrothermally Altered Rocks from a Philippine Geothermal Field, World Geothermal Congress, 2020

Bacon Michael, Simm Robert, Redshaw Terence: 3-D Seismic Interpretation. Cambridge University Press., 2003.

Bader, K., Meyer, R.K.F. & Brunold, H.: Die Struktur des Landshut-Neuöttinger Hochs von Mainburg bis Neumarkt-St. Veit nach seismischen Messungen und Bohrungen: In: Geol. Bl. NO-Bayern Nummer 53/1-4 (2003), S. 1-44

Bading R. (1979): 3-D seismics. Prakla-Seismos Rep.; Vol/Issue: 3/4:1979.

Bannister, S., Seismic Exploration in Geothermal Areas - Effect of the Surface Layer, New Zealand Geothermal Workshop, 1992

Bannister, Stephen, Sandra Bourguignon, Steve Sherburn and Ted Bertrand, Seismic Imaging of the Central Taupo Volcanic Zone Using Double-Difference Tomography, New Zealand Geothermal Workshop, 2013

Bannister, Stephen, Sandra Bourguignon, Steve Sherburn, Ted Bertrand, 3-D Seismic Velocity and Seismic Attenuation in the Central Taupo Volcanic Zone, New Zealand: Imaging the Roots of Geothermal Systems, World Geothermal Congress, 2015

Barnes A.E.: Redundant and useless seismic attributes: In: Geophysics Nummer 72 (2007), S. 33-38

Barnes, Christophe, Yassine Abdelfettah, Nicolas Cuenot, Eleonore Dalmais, Albert Genter: Reservoir Seismic Imaging Using an Elastic Full-wave Inversion Approach Applied to Multi-OVSP Data in the Context of Soultz-sous-Forets, World Geothermal Congress, 2020

Bartelsen, H., Lüschen, E., Krey, Th., Meissner, R., Schmoll, J., Walther, Ch.: The Combined Seismic Reflection-Refraction Investigation of the Urach Geothermal Anomaly: In: The Urach Geothermal Project (ed.: R. Haenel), S 247-262. Aufl. Stuttgart: Schweizerbart, 1982.

Barton, N: Rock quality, seismic velocity, attenuation and anisotropy. Leiden: Taylor& Francis/Balkema, 2007

Batini, F., Nicolich, R.: P and S reflection seismic profiling and well logging in the travale geothermal field: In: Geothermics Nummer 14(5) (1985), S. 731-747

Batini, F., Omnes, G., and Renoux, P.: Delineation of geothermal reservoirs with 3-D surface seismic and multi-offset WSPS in the Larderello area: In: Geothermal Resources Council Transactions, Nummer 14 (1990), S. 1381–1386

Batini, F.; Duprat, A.; Nicolich, R., Contribution of Seismic Reflection to the Study of Geothermal Reservoirs in Tuscany (Italy), Geothermal Resources Council Transactions, 1985

Batini, Fausto; Cecconi, Fabio; Cinci, Marcello; Ciulli, Barbara; Naville, Charles; Serbutoviez, Sylvain; Throo, Alexandre, Geothermal Reservoir Delineation by Drillbit Seismic While Drilling, Geothermal Resources Council Transactions, 2001

Batzle, M., D. Han, and R. Hofmann: Fluid mobility and frequency-dependent seismic velocity direct measurements: In: Geophysics Nummer 71, 1 (2006), S. N1-N9

Bauer, K., Muñoz, G., Moeck, I.: Pattern recognition and lithological interpretation of collocated seismic and magnetotelluric models using self-organizing maps. In: Geophysical Journal International, <http://dx.doi.org/10.1111/j.1365-246X.2012.05402x>. Nummer 189 (2) (2012), S. 984-998

Bauer, K., Norden, B., Ivanova, A., Stiller, M., Krawczyk, C.: Wavelet transform-based seismic facies classification and modelling: application to a geothermal target horizon in the NE German Basin: In: Geophysical Prospecting (2019), <https://doi.org/10.1111/1365-2478.12853>

Bauer, K., Pratt, R.G., Haberland, C., Weber, M: Neural network analysis of crosshole tomographic images: the seismic signature of gas hydrate bearing sediments in the Mackenzie Delta (NW Canada). In: Geophysical Research Letters, <http://dx.doi.org/10.1029/2008GL035263>. Nummer 35 (2008), S. L19306

Bauer, K., Schulze, A., Ryberg, T., Sobolev, S.V., Weber, M.H: Classification of lithology from seismic tomography: a case study from the Messum igneous complex, Namibia: In: Journal of Geophysical Research , <http://dx.doi.org/10.1029/2001JB001073>. Nummer 108 (B3) (2003), S. 2152

Bauer, K., Schulze, A., Weber, M., Moeck, I.: Combining refraction seismic tomography and analysis of wide angle reflections in geothermal exploration. In: AGU Fall meeting Nummer Abstract #NS22A-02 (2006)

Bauer, Klaus, Inga Moeck, Ben Norden, Bianca Kallenberg, Albrecht Schulze and Michael Weber, Seismic Exploration Around the Geothermal Research Well Gross Schoenebeck (NE German Basin) Combining Tomographic and Reflection Seismic Methods, World Geothermal Congress, 2010

Baykulov, M. & Gajewski, D.: Prestack seismic data enhancement with partial common-reflection-surface (CRS) stack: In: Geophysics Nummer 74 (3) (2009), S. 49-58

Beall, Joseph J.; Wright, Melinda C., Southern Extent of The Geysers High Temperature Reservoir Based on Seismic and Geochemical Evidence, Geothermal Resources Council Transactions, 2010

Beauce, A., H. Fabriol, D. LeMasne, C.Cavoit, P. Mechler, and X. K. Chen: Seismic studies on the HDR Site of Soultz-forets (Alsace, France). In: Geotherm. Sci. Tech. Nummer 3 (1991), S. 239

Bee, M. F., Bearden, J. M., Herkenhoff, E. F., Supiyanto, H., and Koestoer, B., (1994): Efficient 3D seismic surveys in a jungle environment: First Break, 12, no. 5, 253–259.

Beilecke, T., Buness, H., von Hartmann, H., Musmann, P., Schulz, R.: Einsatz von 3D Seismik zur Reduzierung des Fündigkeitsrisikos bei Geothermieprojekten. Endbericht LIAG. Aufl. Essen, Hannover: VGE Verlag GmbH, 2009

Bentley Mark, Smith Simon (2008): Scenario-based reservoir modelling: the need for more determinism and less anchoring. Geological Society Special Publication No. 309: The Future of Geological Modelling in Hydrocarbon Development. Geological Society of London.

Böhm, F., Schwarz, F. & Kraus, O.: 2D-seismische Untersuchungen für das Geothermieprojekt Unterföhring bei München. Interpretation einer Riffstruktur im Malm als bevorzugtes Erschließungsziel für Thermalwasser. In: Geothermische Energie: (2007), Nummer 55, S. 14-16

Böhm, G, Poletto, F. and Barison, E. Near-surface geophysical investigation for characterization of a volcanic geothermal reservoir by active-seismic-data tomography and attenuation analysis: Expanded Abstract (169), Near Surface Geoscience Conference & Exhibition, 8-12 September. Aufgerufen: 2019

Bona Kim, Joongmoo Byun, Soon Jee Seol , Kwon Gyu Park and Tae Jong Lee: Using reverse vertical seismic profiling (RVSP) to characterise the subsurface fracture system of the Seokmo Island geothermal field, Republic of Korea: In: Exploration Geophysics Nummer 44 (3) S. 167-175, <http://dx.doi.org/10.1071/EG13049>

Bouchaala, F., M.Y. Ali and J. Matsushima: Attenuation modes from Vertical Seismic Profiling and sonic waveform in a carbonate reservoir, Abu Dhabi, United Arab Emirates. In: Geoph. Prosp. Nummer 64 (2016), S. 1030-1048

Bredesen, K, Rasmussen, R., Mathiesen, A. and Nielsen, L.H.: Seismic amplitude analysis and rock physics modeling of a geothermal sandstone reservoir in the southern part of the Danish Basin: In: Geothermics Nummer 89 (2021)

Bredesen, K., Chopra, S. and Feng, R.: Quantitative seismic interpretation studies of a Triassic-Jurassic geothermal sandstone reservoir in the Copenhagen area: Proceedings, European Geothermal Congress 2022, Berlin, Germany,. Aufgerufen: 2022

Bredesen, K., Dalgaard, E., Mathiesen, A., Rasmussen, R. and Balling, N.: Seismic characterization of geothermal sedimentary reservoirs: A field example from the Copenhagen area, Denmark, Interpretation: T275-T291, 2020

Broggi, A., Lazzarotto, A., Liotta, D., and Ranalli, G.: Extensional shear zones as imaged by reflection seismic lines: the Larderello geothermal field (Central Italy). In: Tectonophysics, Nummer 363 (2003), S. 127-139

Brown, A.: Interpretation of three - dimensional seismic data. 7. Aufl. Tulsa: 2010

Brown, Paul Larry; Butler, David, Seismic Exploration for Geothermal Resources, Geothermal Resources Council Transactions, 1977

Bruss, Dietfried: 3D-Seismikkampagne München-Südost: Erkundung des Untergrundes zur Erschließung und nachhaltigen Nutzung der tiefegeothermischen Potenziale: In: GTE Nummer 100 (2021), S. 4-10

Bujakowski, W., Barbacki, A., Czerwińska, B., Pająk, L., Pussak, M., Stefaniuk, M., Trześniowski, Z.: Integrated seismic and magnetotelluric exploration of the Skierniewice, Poland, geothermal test site. In: Geothermics Nummer 39(1) (March 2010), S. 78-93

Buness, Hermann, Hartwig von Hartmann, Hanna-Maria Rumpel, Thies Beilecke, Patrick Musmann, Rüdiger Schulz, Seismic Exploration of Deep Hydrogeothermal Reservoirs in Germany, World Geothermal Congress, 2010

Buonasorte, Giorgio, Gian Mauro Cameli, Alessandro Ceron, Raffaello Cioni, Roberto Pensieri and Alessandro Sbrana, Seismic Reflection in the Bolsena Lake: a Contribution to the Knowledge of a Caldera Controlled Geothermal System, World Geothermal Congress, 1995

Calman I.B., Seismic Reflection in the Ohaaki-Broadlands Geothermal Field, New Zealand Geothermal Workshop, 1996

Caló, M., Kinnaert, X. &Dorbath, C.: Procedure to construct three-dimensional models of geothermal areas using seismic noise cross-correlations: application to the Soultz-sous-Forêts enhanced geothermal site. In: Geophysical Journal International Nummer 194 (3) (2013), S. 1893-1899

Cameli, G. M., Batini, F., Dini, I., Lee, J. M., Gibson Jr, R. L., and Toksöz, M. N.: Seismic delineation of a geothermal reservoir in the Monteverdi area from VSP data. In: Proceedings of the World Geothermal Congress, 18–31 May 1995, Florence, Italy Nummer 2 (1995), S. 821-826

Cameli, Gian Mauro, Armando Ceccarelli, Ivano Dini and Alfredo Mazzotti, Contribution of the Seismic Reflection Method to the Location of Deep Fractured Levels in the Geothermal Fields of Southern Tuscany (Central Italy), World Geothermal Congress, 2000

Cameli, Gian Mauro, Fausto Batini, Ivano Dini, Jung Mo Lee, Richard L. Gibson and M. Nafi Toksöz, Seismic Delineation of a Geothermal Reservoir in the Monteverdi Area from VSP Data, World Geothermal Congress, 1995

Cappello, P., Lo Bascio, A., Luongo, G.: Seismic noise survey at solfatara crater, phlegraean fields, Italy. In: Geothermics Nummer 3(2) (June 1974), S. 76-80

Cappetti, Guido, Adolfo Fiordelisi, Michele Casini, Simona Ciuffi, Alfredo Mazzotti, A New Deep Exploration Program and Preliminary Results of a 3D Seismic Survey in the Larderello-Travale Geothermal Area (Italy), World Geothermal Congress, 2005

Carcione, J.M, Poletto F.: Seismic Rheological Model and Reflection Coefficients of the Brittle-Ductile Transition. In: Pure And Applied Geophysics, Nummer 170 (2013), S. 2021-2035

Carder, D. S.: Seismic investigations in the Boulder Dam area, 1940 - 1944, and the influence of reservoir loading on local earthquake activity. In: Bulletin of the Seismological Society of America Nummer 35 (1945), S. 175-192

Carpentier, S; Steeghs, P; Boxem, T., Seismic reprocessing and attributes for geothermal exploration: a case study in Friesland, Netherlands, European Geothermal Congress, 2016

Carrier, A., C. Nawratil de Bono, M. Lupi: Affordable gravity prospection calibrated on improved time-to-depth conversion of old seismic profiles for exploration of geoth

ermal resources: In: Geothermics Nummer 86(S0375650518302177) (2020-07-31), S. 101800-, [10.1016/j.geothermics.2020.101800](https://doi.org/10.1016/j.geothermics.2020.101800)

Casini, M., Ciuffi, S., Fiordelisi, A., Mazzotti, A., Stucchi, E.: Results of a 3D seismic survey at the Travale (Italy) test site. In: Geothermics Nummer 39(1) (March 2010), S. 4-12

Casini, Michele, Simonetta Ciuffi, Adolfo Fiordelisi and Alfredo Mazzotti, 3D Seismic Surveys and Deep Target Detection in the Larderello-Travale Geothermal Field (Italy), World Geothermal Congress, 2010

Casini, Michele; Ciuffi, Simonetta; Fiordelisi, Adolfo; Mazzotti, Alfredo; Perticone, Iris; Spinelli, Elio; Stucchi, Eusebio, 3D Seismic for the Deep Exploration of the Travale Geothermal Field (Italy): I-GET Project Results, Geothermal Resources Council Transactions, 2009

Casteel, John, Satish Pullammanappallil, And Robert Mellors, Estimating Subsurface Permeability with 3D Seismic Attributes: A Neural Net Approach, Stanford Geothermal Workshop, 2016

Chaouch A. , Mari J.L. : 3-D Land Seismic Surveys: Definition of Geophysical Parameters. Oil & Gas Science and Technology. In: Oil & Gas Science and Technology – Rev. IFP. Institut francais du pétrole (2006)

Charléty, J., Cuenot, N., Dorbath, C., Dorbath, L.: Tomographic study of the seismic velocity at the Soultz-sous-Forêts EGS/HDR site. In: Geothermics Nummer 35(5) (October–December 2006), S. 532-543

Chen Ting and Lianjie Huang, Directly Imaging Steep Fault Zones Using Multicomponent Seismic Data, Stanford Geothermal Workshop, 2013

Chen, S. T., Zimmerman, L. J., and Tugnait, J. K., : Subsurface imaging using reversed vertical seismic profiling and crosshole tomographic methods. In: Geophysics Nummer 55 (1990), S. 1478–1487

Chen, T., Huang, L.: Directly imaging steeply-dipping fault zones in geothermal fields with multicomponent seismic data. In: Geothermics Nummer () (September 2015), S. 238-245

Chen, Ting and Lianjie Huang, Directly Imaging Steep Fault Zones Using Multicomponent Seismic Data, Stanford Geothermal Workshop, 2013

Cheng Yii Sim and Ludmila Adam: Are changes in time-lapse seismic data due to fluid substitution or rock dissolution? A CO2 sequestration feasibility study at the Pohokura Field, New. In: Geoph. Prosp. Nummer 64 (2016), S. 967-987

Chopra S., Larsen G. (2000): Acquisition Footprint – Its Detection And Removal, CSEG Recorder, October.

Chopra Satinder (2002): Coherence Cube and beyond. First Break V.20.1. EAGE.

Chopra, S., Sharma, R.K., Bredesen, K., Ha, T. and Marfurt, KJ.: Seismic characterization of a Triassic-Jurassic deep geothermal sandstone reservoir, onshore Denmark, using unsupervised machine learning techniques: In: Interpretation Nummer 9 (2021), S. T1097-T1106

Connolly P. (1999): Elastic Impedance. The Leading Edge. April Issue.

Cooper Joanna K., Margrave Gary F. and Lawton Don C.: Simulations of seismic acquisition footprint. Back to Exploration. CSPG CSEG CWLS Convention, 2008

Cordson A., Galbraith M., Peirce J. (2000): Planning Land 3-D Seismic Surveys. Geophysical development series; no. 9, SEG, Tulsa.

Cordson Andreas (2004): Acquisition Footprint Can Confuse. AAPG Explorer, pg. 26, March 2004.

Crosby D.D.B. and Calman I.B., Seismic Techniques in Geothermal Areas, New Zealand Geothermal Workshop, 1996

Czerwinska, Barbara, Ligia Borowska, Application of Seismic Surveys in Recognising Reservoir Structures of Geothermal Water, International Summer School, 2004

Dalgaard, E.: Best Practice for Quantitative Seismic Interpretation Methods in Danish Geothermal Reservoirs: Best practice report, GEOTHERM WP2, Qeye, 2019,
https://dybgeotermi.geus.dk/bestpractice_reports/

Daniilidis, A., Doddema, L., Herber, R.: Risk assessment of the Groningen geothermal potential: From seismic to reservoir uncertainty using a discrete parameter analysis. In: Geothermics Nummer () (November 2016), S. 271-288

Davis, T., D'Amico, D.: Monitoring hydraulic fracture complexity and containment with time-lapse, multi-component seismic and microseismic data, Pouce Coupe, Alberta. In: First Break Nummer 34 (2016)

Davogusto Oswaldo, Suarez Yoscel, Marfurt Kurt J. (2009): Footprint removal using subtraction algorithms for seismic attribute quality enhancement: A case study of Anadarko Basin red Fork incised valley system. SEG Expanded Abstracts.

Davy, B.: Seismic reflection profiling on southern lake rotorua - evidence for gas-charged lake-floor sediments. In: Geothermics Nummer 21(1) (February–April 1992), S. 97-108

Dawson, Phillip B.; Rodrigues da Silva, Antonio; Iyer, H. M.; Evans, John R., Seismic Study of the Agua de Pau Geothermal Prospect, Sao Miguel, Azores, Geothermal Resources Council Transactions, 1985

De Bazelaire E. and Viallix J.R., (1994): Normal move-out in focus. Geophysical Prospecting, Vol.42.

DEKORP: Results of deep-seismic reflection investigations in the Rhenish massif:
In: Tectonophysics Nummer 173(1) (1990), S. 507-515

Del Pezzo, E., Guerra, I., Luongo, G., Scarpa, R.: Seismic noise measurements in the Mt. Amiata geothermal area, Italy. In: Geothermics Nummer 4(1) (March–December 1975), S. 40-43

Demic, Geothermal evaluation in the northern Serbia using interpretation of hydrocarbon well and seismic data, European Geothermal Conference, 2013

Denlinger, Roger P.; Kovach, Robert L., Seismic Reflection Investigations in a Geothermal Area, Geothermal Resources Council Transactions, 1977

Dezayes, C., I. Thinon, A. Genter and G. Courrioux, Clastic Reservoirs in the Rhine Graben: Geothermal Potential of the Triassic Sandstones Based on Seismic Profiles and Deep Boreholes, European Geothermal Conference, 2007

Dresen L, Rüter H.: Seismic Coal Exploration – Part B: In-Seam Seismics, Handbook of Geophysical Exploration. Pergamon Press

Duffaut Kenneth, Ketil Hohstad, Rune Kyrkjebo, Torgeir Wilk: A simple relation between thermal conductivity and seismic interval velocities: In: TLE Nummer 37/5 (2018), S. 381-385

Dussel, Lüschen, Thomas, Agemar, Fritzer, Sieblitz, Huber, Bartels, Wolfgramm, Wenderoth, Schulz, Development of a thermo-hydraulic 3D model of the deep carbonatic Malm aquifer in the Munich region (Germany) with special emphasis on a 3D seismic survey, European Geothermal Conference, 2013

Duveneck, E. (2004): Velocity model estimation with data-derived wavefront attributes. Geophysics, 69.

Echols, James; Benoit, Dick; Ohren, Mary; Oppliger, Gary; Van Gundy, Tracy, Integration of a 3D-3C Reflection Seismic Survey over a Known Geothermal Resource: Soda Lake, Churchill County, Nevada, Geothermal Resources Council Transactions, 2011

Edel et al.: Structure and nature of the Palaeozoic basement based on magnetic, gravimetric, and seismic investigations in the central Upper Rhinegraben: In: GTE Nummer 6(1) (2018), S. 13

Edel, J.B., Maurer, V., Dalmais, E., Genter, A., Richard, A., Letourneau, O., Hehn, R.: Structure and nature of the Palaeozoic basement based on magnetic, gravimetric and seismic investigations in the central Upper Rhinegraben: Focus on the deep geothermal project of Illkirch-Graffenstaden: In: Geothermal Energy Nummer 6 (2018), [10.1186/s40517-018-0099-y](https://doi.org/10.1186/s40517-018-0099-y)

Edwards, Joel; Hoiland, Carl; Fleure, Tom; Sicking, Charles; McLain, Bill; Vermilye, Jan; Witter, Jeff; Tanner, Nicole; Cladouhos, Trenton T.: Seismic Imaging of Resonating Fracture

Networks at the Lightning Dock Geothermal Field, Hidalgo County, New Mexico, Geothermal Resources Council Transactions, 2021

Eisses, Amy; Kell, Annie; Kent, Graham; Driscoll, Neal; Karlin, Robert; Baskin, Rob; Louie, John; Pullammanappallil, Satish, Marine and Land Active-Source Seismic Imaging of Mid-Miocene to Holocene-Aged Faulting near Geothermal Prospects at Pyramid Lake, Nevada, Geothermal Resources Council Transactions, 2011

Erlström, M., Boldreel, L. O., Lindstrom, S., Kristensen, L., Mathiesen, A., Andersen, M., Kamla, E. & Nielsen, L.: Stratigraphy and geothermal assessment of Mesozoic sandstone reservoirs in the Oresund Basin – exemplified by well data and seismic profiles: In: Bulletin of the Geological Society of Denmark Nummer 66 (2018), S. 123-149

Espanola, Onofre; Branch, Jim; Johnson, Stuart, 2D Seismic Imaging at the Orita Geothermal Area, Imperial Valley, California, Geothermal Resources Council Transactions, 2011

Fadel, Mohamed, John Reinecker, Horst Kreuter: Application of Seismic and Geomechanical Approaches in Defining Geothermal Targets in the German Molasse Basin, World Geothermal Congress, 2020

Falconer Scott, Marfurt Kurt J. (2008): Attribute-driven footprint suppression. SEG Expanded Abstracts 27, 2667. SEG, Tulsa.

Farina, B., Poletto, F., and Carcione J. M.: Seismic wave propagation in geothermal hot rocks: a review of simulation analysis and results based on Burgers models: In: 79th EAGE Conference and Exhibition, Workshop, DOI: 10.3997/2214-4609.20170176930 (2017)

Farina, B., Poletto, F., Mendrinós, D., Carcione, J., Karytsas, C.: Seismic properties in conductive and convective hot and super-hot geothermal systems: In: Geothermics Nummer 82(S0375650519300604) (2019-11-30), S. 16-33, [10.1016/j.geothermics.2019.05.005](https://doi.org/10.1016/j.geothermics.2019.05.005)

Farina, B; Poletto, D; Carcione, J M, Seismic wave simulation in poro-viscoelastic hot rocks, European Geothermal Congress, 2015

Fausto Batini, I. Dini, Mario Certo, Tiziano Cola, Fabio Cecconi, Louis Soulier, Charles Naville and Sylvain Serbutoviez, Seismic While Drilling Measurements in Italian Deep Geothermal Wells, World Geothermal Congress, 2000

Ferrucci, F., Hirn, A.: Differential attenuation of seismic waves at a dense array: A marker of the travale field from sources at regional distance. In: Geothermics Nummer 14(5) (1985), S. 723-730

Fertig J. (1997): Seismik. In: Knödel K., Krummel H. Lange G., Handbuch zur Erkundung des Untergrundes von Deponien und Altlasten. Bd. 3, Springer, Berlin.

Finetti, I. R.: Basic regional crustal setting and superimposed local pluton-intrusion-related tectonics in the Larderello–Mt. Amiata geothermal province, from integrated CROP seismic data. In: Boll. Soc. Geol. Ital. Nummer 125 (2009), S. 117-146

Fiordelisi, Adolfo, James Moffatt, Fabio Ogliani, Michele Casini, Simonetta Ciuffi and Alessandro Romi, Revised Processing and Interpretation of Reflection Seismic Data in the Travale Geothermal Field (Italy), World Geothermal Congress, 2005

Fonseca, L. and Razo, A.: Gravity, magnetics, and seismic reflection studies at the Cerro Prieto Geothermal Field. In: Proc. DOE – CFE Symposium on Cerro Prieto (1979)

Fukuda, M., N. Aoki, K. Satoh, T. Nibe, S. Abe, T. Tosha, 3D Seismic Survey for Geothermal Reservoir Imaging in the Yamagawa Geothermal Field, Southwestern Japan, New Zealand Geothermal Workshop, 2016

Gadallah Mamdouh R., Fisher Ray L. (2004): Applied Seismology: A Comprehensive Guide to Seismic Theory and Application. PennWell Corporation, Tulsa.

Gaertner H., Witka T. (1997): Reflexionsseismik. In: Knödel K., Krummel H. Lange G., Handbuch zur Erkundung des Untergrundes von Deponien und Altlasten. Bd. 3, Springer, Berlin.

Gao, Kai, Lianjie Huang, Unravel Faults on Seismic Migration Images Using Structure-Oriented, Fault Preserving and Nonlinear Anisotropic Diffusion Filtering, WGC, 2020

Gawlas, P., F.: Möglichkeiten eines DMO-Prozesses in der CMP-Reflexionsseismik. München: Diss. LMU, 2001

Gelbke, C., Lehmann, B. and Rüter, H.: Seismik Tomography. In: Geotechnica, Köln (1991)

Giustiniani, M., Tinivella, U., Nicolich, R.: Reflection seismic sections across the Geothermal Province of Tuscany from reprocessing CROP profiles. In: Geothermics Nummer () (January 2015), S. 498-507

Gonzalez, Hansel; Benitez, Pablo; Leewis, Marianne; Doulgeris, Panos; Zhang, Mengmeng; Haffinger, Peter; Gisolf, Dries, Use of wave-equation-based AVO seismic inversion, rock physics and mechanical Earth modeling for reservoir and geomechanical parameter characterization in a Dutch geothermal play, WGC, 2020

Gonzalez, Isaac: Application of Advanced Seismic Attributes for Fault Network Characterization in Geothermal Exploration, World Geothermal Congress, 2020

Göthel M. (2006): Tiefe Geothermie. Landesamt für Bergbau, Geologie und Rohstoffe Brandenburg

Grab, M., Zürcher, B., Maurer, H., Greenhalgh, S.: Seismic velocity structure of a fossilized Icelandic geothermal system: A combined laboratory and field study. In: Geothermics Nummer () (September 2015), S. 84-94

- Green, A.S.P., R. Baria:** Active Seismics to Determine Reservoir Characteristics of a Hot Dry Rock Geothermal System, Stanford Geothermal Workshop, 1987
- Gritto, R., Daley, T. M., and Majer, E. L.:** Intergrated seismic studies at the Rye Patch geothermal reservoir: In: Lawrence Berkeley National Laboratory. (2002)
- Gritto, R., Daley, T., Majer, E.:** Estimating subsurface topography from surface-to-borehole seismic studies at the Rye Patch geothermal reservoir, Nevada, USA. In: Geothermics Nummer 32(3) (June 2003), S. 275-295
- Gritto, R., Majer, E., L.:** Seismic methods for resource exploration in enhanced geothermal systems. In: Trans.geoth. res. council Nummer 27 (2003), S. 223-226
- Gritto, R.; Daley, T. M.; Majer, E. L.,** A Model of the Subsurface Structure at the Rye Patch Geothermal Reservoir Based on Surface-to-Borehole Seismic Data, Geothermal Resources Council Transactions, 2001
- Gritto, R.; Daley, T. M.; Majer, E. L.,** Integrated Seismic Studies at the Rye Patch Geothermal Reservoir, Geothermal Resources Council Transactions, 2002
- Gritto, R.; Majer, E.; Daley, T.,** Development and Application of 3-D Seismic Imaging Methods for Geothermal Environments, Geothermal Resources Council Transactions, 2000
- Gritto, Roland; Majer, Ernest L.,** Seismic Methods for Resource Exploration in Enhanced Geothermal Systems, Geothermal Resources Council Transactions, 2003
- Halladay N. and M. Albrecht,** Research and Development of a Seismic Imaging System, World Geothermal Congress, 1995
- Hammar, A.; Egard, M.; Erlström, M.; Juhlin, C.; Heikkinen, P.; Malin, P.:** Malmo EGS Basement-Reflection Seismic Reinterpretation and Drill Confirmation, Geothermal Resources Council Transactions, 2021
- Hardage, B., :** Vertical seismic profiling: principles. Elsevier Science Publications Co., Inc., 2000
- Hartmann, H. von, Beilecke, T., Bunes, H., Musmann, P., Schulz, R.:** Seismische Exploration für Tiefe Geothermie. Hannover: Geolog JB 104, 2015
- Hartmann, Hartwig von, Carolin Kader:** SEISVIZ3D: System zur Interpretation seismischer Daten in einer stereoskopischen Umgebung. In: GTE Nummer 83 (2016), S. 22-23
- Hartmann, Hartwig von, Hanna-Maria Rumpel, Patrick Musmann, Hermann Bunes, Charlotte Krawczyk, Rüdiger Schulz,** Enhancing Hydrogeothermal Reservoir Detection by Seismic Imaging and Attributes, World Geothermal Congress, 2010

Hartmann, Hartwig von, Thies Beilecke, Hanna-Maria Rumpel, Hermann Bunes and Rüdiger Schulz, Exploration Risk Reduction for Hydrogeothermal Projects by the use of 3D Seismic Surveys, GeoFund Workshop, 2008

Hartmann, von H., H. Bunes & R. Schulz: Reservoirbewertung einer hydrothermalen Lagerstätte auf der Grundlage einer 3D Seismik, DGK, 2011

Hartmann, von, Lüschen, Thomas, Schulz, 3D-seismic investigations to search for a deep geothermal reservoir within crystalline rock, European Geothermal Conference, 2013

Hatton L., Worthington M. H. and Makin, J.: Seismic Data processing: Theory and practice. London: Blackwell Scientific, 1986

Hayakawa, M.: The study of underground structure and geophysical state in geothermal areas by seismic exploration. In: Geothermics Nummer 2() (1970), S. 347-357

Heil, R.W., H. Rüter, et. al.: Flächenhafte reflexionsseismische Messungen mit hoher Auflösung zur Erfassung der Mitteltektonik im Grenzbereich Deckgebirge – Karbon. In: BMFT, Forschungsbericht T82-013 (1982)

Henniges, J., Martuganova, E., Stiller, M., Norden, B., Krawczyk, C.: Wireline distributed acoustic sensing allows 4.2 km deep vertical seismic profiling of the Rotliegend 150 °C geothermal reservoir in the North German Basin: In: Solid Earth Nummer 12 (2021), S. 521-537, [https://doi.org/10.5194/se-12-521-021GFZPublicVolltext \(PDF\)](https://doi.org/10.5194/se-12-521-021GFZPublicVolltext (PDF))

Hill, P., H.: Structure of Long Valley caldera, California, from a seismic refraction experiment: In: J. Geophys. Res. Nummer 81 (5) (2012), S. 745-753

Hinz, Nicholas H.; Faulds, James E.; Glen, Jonathan; Siler, Drew L.; Queen, John; Witter, Jeffrey B.; Tiedeman, Andrew; Blake, Kelly; Blankenship, Douglas, Fallon Forge: Analog Geologic Studies, Reanalysis of 2D Seismic Profiles, and New Potential Fields Geophysics Studies, Geothermal Resources Council Transactions, 2017

Hlousek, Felix, Olaf Hellwig, Stefan Buske: Geothermal Reservoir Characterization in Crystalline Rock Using 3D Seismics (Schneeberg, Germany), WGC, 2015

Hochstein, M., Hunt, T.: Seismic, gravity and magnetic studies, Broadlands geothermal field, New Zealand. In: Geothermics Nummer 2() (1970), S. 333-346

Holbrook, W.S., Mooney, W.D., Christensen, N.I.: The seismic velocity structure of the deep continental crust. In: Journal of Volcanology and Geothermal Research Nummer 131 (3-4) (1992), S. 397–410

Hosni, M., Al, Eva Caspari, Roman Pevzner, Thomas M. Daley and Boris Gurevich: Case History: Using time-lapse vertical seismic profiling data to constrain velocity–saturation relations: the Frio brine pilot CO2 injection . In: Geoph. Prosp. Nummer 64 (2016), S. 987-1001

Huang, Lianjie and Michael Albrecht, Seismic and Magneto-Telluric Imaging for Geothermal Exploration at Jemez Pueblo in New Mexico, Stanford Geothermal Workshop, 2011

Huang, Yunsong; Zhang, Miao; Huang, Lianjie, Ground-Roll Noise Suppression in Land Surface Seismic Data Using a Wavenumber-Adaptive Bandpass Filter, Geothermal Resources Council Transactions, 2017

Hubral P., Hoecht G., Jaeger R. (1999): Seismic Illumination. The Leading Edge. Vol.18, No 11.

Husen, S., Smith, R.B., Waite, G.P.: Evidence for gas and magmatic sources beneath the Yellowstone volcanic field from seismic tomographic imaging. In: Journal of Volcanology and Geothermal Research Nummer 131 (3-4) (2004), S. 397–410

Jankowsky W. J. (1971): New Aspects of Quantitative Interpretation of Velocity Data and their Impact on the Geological Evaluation of Exploration Prospects (unpublished paper) presented at 56th Annual Meeting of the AAPG, Houston.

Jankowsky W. J. (1982): Physikalische Eigenschaften der Gesteine: Ihre Bedeutung für die seismische Interpretation. 2. Mintrop-Seminar 5. – 8. Mai 1982.

Janocko, Juraj and Stanislav Jacko: Utilization of Seismics for Geothermal Prospecting: Case Studies from the Carpathian Mts, Central Europe, ARGeo, 2012

Jaya, M. S., Buske, S., Kummerow, J., Reshetnikov, A. and Shapiro, S., Seismic Attribute Analysis of the 3-D Depth-Migrated Image and Its Correlation with the Induced Microseismicity, World Geothermal Congress, 2010

Juhojuntti, N., Kamm, J.: Joint inversion of seismic refraction and resistivity data using layered models – Applications to groundwater investigation: In: Journal of Applied Geophysics Nummer 80 (1) (2015), S. EN43-EN55

Julian, B. R. , Ross, A., Foulger, G. R., Evans, J. R .: Three - Dimensional Seismic Image of a Geothermal Reservoir: The Geysers, California. In: Geophysical Research Letters Nummer 23 (1996), S. 685-688

Jung R.; Röhling S.; Ochmann N.; Rogge S.; Schellschmidt R.; Schulz R.; Thielemann T.(2002): Abschätzung des technischen Potenzials der geothermischen Stromerzeugung und der geothermischen Kraft-Wärmekopplung (KWK) in Deutschland. BGR, Hannover.

Kaelin, Bruno, Moritz M. Fliedner, Dimitri Bevc, Seismic Attributes in Geothermal Fields, Stanford Geothermal Workshop, 2006

Kai Gao, Kai, Lianjie Huang, Hunter A. Knox, Paul C. Schwering, Charles R. Hoots, Jonathan Ajo-Franklin, Timothy Kneafsey, Egs Collab Team: Anisotropic Elastic Properties of the First EGS Collab Testbed Revealed from the Campaign Cross-Borehole Seismic Data, Stanford Geothermal Workshop, 2020

Kasahara, Junzo, Yoko Hasada, Haruyasu Kuzume, Hitoshi Mikada, Yoshihiro Fujise,: The Second Seismic Study at the Geothermal Field in Southern Kyushu, Japan Using an Optical Fiber System and Surface Geophones, Stanford Geothermal Workshop, 2020

Kasahara, Junzo, Yoko Hasada, Haruyasu Kuzume: Simulation of Seismic Imaging of Supercritical Geothermal Reservoirs Using Full-waveform Inversion Method, World Geothermal Congress, 2020

Kasahara, Yjunzo, Oko Hasada, Takashi Yagaguchi, Seismic Imaging of Supercritical Geothermal Reservoir Using Full-waveform Inversion Method, WGC, 2020

Kell-Hills, Annie; Louie, J.; Kent, G.; Pullammanappallil, S.; Sabin, A.; Lazarro, M., A Revised Interpretation of 3D Seismic Data, Hawthorne Army Depot, Nevada: Faulted-Basin Reflections or Sill Intrusions?, Geothermal Resources Council Transactions, 2010

Kell-Hills, Annie; Thompson, M.; Dhar, M.; Louie, J.; Pullammanappallil, S., A Study of the Surprise Valley Fault Using a High-Resolution Shallow Seismic Reflection Profile, Geothermal Resources Council Transactions, 2009

Kent T. and J. N. Louie, Tectonic Deformation of a Lacustrine Mudstone at Soda Lake Geothermal Field, Western Nevada, USA, from 3D Seismic Interpretation, New Zealand Geothermal Workshop, 2013

Kipsang Rop, Bernard, Subsurface Depositional Systems in Lake Turkana Basin, North-western Kenya: Based on Gravity and Seismic Data Investigations, ARGeo, 2012

Kis, M.: Investigation of near Surface Structures with Joint Inversion of Seismic and Direct Current Geoelectric Data (in Hungarian): Miskolc: Ph.D. Thesis, University of Miskolc, 1998.

Köhler, S. (2005): Geothermisch angetriebene Dampfkraftprozesse - Analyse und Prozessvergleich binärer Kraftwerke. Dissertation, Fakultät III – Prozesswissenschaften der Technischen Universität Berlin.

Koslovskaja, P., W., Janik, T., Yliniemi, J., Karatayev, G., Grad, M.: Density velocity relationship in the upper lithosphere obtained from P- and S-wave velocity models along the Euro-bridge\ '97 seismic profile and bgravity data. In: Acta geophys. Polonica Nummer 52 (4) (2004), S. 397-424

Krajewski P., de Groot P., H. Trappe (2002): Seismische Reservoircharakterisierung in der Produktion und Exploration. DGGKolloquium. Neue Aspekte der Explorations- und Produktionsgeophysik. Sonderband I/2002.

Krajewski, C., L. Dresen, C. Gelbke and H. Rüter: Iterative tomography methods to locate seismic low-velocity anomalies: a model study. In: Geophysical Prospecting Nummer 37 (1989), S. 717-751

Krawczyk, C.M., Stiller, M., Bauer, K. et al.: 3-D seismic exploration across the deep geothermal research platform Groß Schönebeck north of Berlin/Germany: In: *herm Energy Nummer 7* (2019), S. 15

Krawczyk, Charlotte M., Ulrich Polom, W. Wiyono, Bambang Pramono, Tailoring Reflection Seismic Experiments to Geothermal Exploration Targets in Indonesia - Wayang Windu Geothermal Field Case Study, World Geothermal Congress, 2015

Lamarche, G.: Seismic reflection survey in the geothermal field of the rotorua caldera, new zealand. In: *Geothermics Nummer 21(1)* (February–April 1992), S. 109-119

Lawyer, L.A. et al.: Seismic stratigraphy and heat flow of Powell Basin, in: *Terra Antarctica. The Antarctic Continental Margin*. Siena: 1995

Le Masne, D., A. Beauce, H. Fabriol, C. Cavoit, P. Mechler, and X. Chen, Seismic Survey at the Soultz HDR Geothermal Energy Project, Stanford Geothermal Workshop, 1990

Lehmann, Bodo (1992): Modellseismische Untersuchungen zur Transmissions- und Reflexions-Tomographie unter Verwendung der Gauß-Beam Methode. *Berichte des Instituts für Geophysik der Ruhr-Universität Bochum. Reihe A. Nr. 33.*

LIAG (Leibniz-Institut für Angewandte Geophysik): Untersuchung der Seismizität am Standort des Geothermieprojekts Poing unter Einbeziehung von Strukturgeologie, Geohydraulik, Hydrochemie, Geomechanik und Dublettenbetrieb. Zusammenfassung: LIAG (Hannover). Google Scholar, 2018

Lin Yoizuo and Lianjie Huang, Elastic-Waveform Inversion with Compressive Sensing for Sparse Seismic Data, Stanford Geothermal Workshop, 2015

Liner C.L., Underwood W.D. (1999): 3-D seismic survey design for linear $v(z)$ media. *Geophysics*, 64, 486-593.

Lohr, T.: Seismic and sub - seismic deformation on different scales in the NW German Basin. Berlin: Diss. FU Berlin, Deutsches GeoForschungsZentrum, 2007

Lopez, Hector Luis Fonseca , Antonio Razo Montiel, Gravity, Magnetics, and Seismic Reflection Studies at the Cerro Prieto Geothermal Field, DOE-CFE Symposium on Cerro Prieto, 1979

Lotz Ulrich: Hochauflösende 3D-Seismik minimiert Fündigkeitsrisiko und erhöht Sicherheit von Tiefengeothermieprojekten am Oberrhein: In: *Geothermische Energie Nummer 96* (2020), S. 6-10

Louie JN.: Crustal thickness and seismic velocity in the Great Basin. In: Presentation at the Great Basin Geothermal Louie JN (2004)

- Lueschen E., et al.:** 3D-Seismik für ein petrothermales Forschungsprojekt im Erzgebirge, DGK, 2013
- Lueschen E., et al.:** 3D-Seismik Unterhaching 2009 im Rahmen hydrothermalen Exploration und Modellierung, DGK, 2011
- Lueschen E., et al.:** 3D-Seismik Unterhaching 2009, DGK, 2010
- Lueschen, E., S. Goerne, H. von Hartmann, R. Thomas & R. Schulz:** Petrothermale Geothermie im Erzgebirge: Vom geologischen Vormodell zur Exploration mit 3D-Seismik, DGK, 2015
- Lueschen, Ewald, Hartwig Von Hartmann, Ruediger Thomas, Ruediger Schulz,** 3D Seismic Survey for a Petrothermal (EGS) Research Project in Crystalline Rocks of Saxony, Germany, World Geothermal Congress, 2015
- Lüschén, E, Alten, J.-A. & Hägedorn, F.:** 3D-Präsentation von Seismik-Daten aus dem petrothermalen Geothermieprojekt in Schneeberg/Sachsen: Präsentation, 7. Norddeutsche Geothermietagung, 15.-16.10.2014; Hannover. Aufgerufen: 2014
- Lüschén, E, Von Hartmann, H., Thomas, R. & Schulz, R.:** 3D seismic survey for a petrothermal research project in crystalline rocks of Saxony: 76th EAGE Conference & Exhibition 2014, Extended Abstract We G106 13, 16.-19.06.2014; Amsterdam. . Aufgerufen: 2014
- Lüschén, E. & Schulz, R.:** 3-D Seismic Surveys Explore German Petrothermal Reserves: In: EOS, Transactions Nummer 95(26) (2014), S. 237-244, [10.1002/2014EO26](https://doi.org/10.1002/2014EO26)
- Lüschén, E. V. Hartmann, H., Thomas, R. & Schulz, R.:** 3D-Seismik für ein petrothermales Forschungsprojekt im Erzgebirge: In: Geothermische Energie Nummer 77 (2013), S. 20-21
- Lüschén, E., Dussel, M., Thomas, R., & Schulz, R.:** 3D seismic survey for geothermal exploration at Unterhaching, Munich, Germany. In: FIRST BREAK, Nummer 29 (2011), S. 45-54
- Lüschén, E., S. Görne, H. von Hartmann, R. Thomas, R. Schulz:** 3D seismic survey for geothermal exploration in crystalline rocks in Saxony, Germany: In: Geophysical Prospecting Nummer 63, DOI: 10.1111/1365-2478.12249 (2015), S. 975-989
- Lüschén, E., Thomas, R.:** 3D-Seismik für die geothermische Exploration in Unterhaching: In: Geothermie in Bayern. media mind (2012), S. 14-19
- Lüschén, E., V. Hartmann, H., Schulz, R. & Thomas, R.:** Verbundprojekt Seismik im Kristallin: 3D-seismische Messungen im Kristallin unter besonderer Berücksichtigung lithologischer und struktureller Klassifizierungen des geothermischen Reservoirs durch seismische Attributanalysen: 2. Zwischenbericht, LIAG Bericht, Archiv-Nr. 131 094: 12 S.; Hannover, 2013
- Lüschén, E., V. Hartmann, H., Thomas, R. & Schulz, R.:** 3D-Seismik im Kristallinen Grundgebirge des Erzgebirges: In: BBR Fachmagazin für Brunnen und Leitungsbau, Sonderheft Geothermie 2013, 63. Jahrgang:80-85. (2013)

Lüschen, E., Von Hartmann, H., Thomas, R. & Schulz, R.: 3D-Seismik für ein petrothermales Forschungsprojekt im Erzgebirge: In: GMIT Nummer 56 (2014), S. 18-20

Lüschen, E., Von Hartmann, H., Thomas, R. & Schulz, R.: 3D-Seismik für die petrothermale Geothermie im Erzgebirge zeigt reichhaltiges Strukturinventar im Granit: 74. Jahrestagung der Deutschen Geophysikalischen Gesellschaft, 10.-13.03.2014; Karlsruhe. Aufgerufen: 2014

Lüschen, E., Wolfgramm, M., Fritzer, T., Dussel, M., Thomas, R., and Schulz, R.: 3D seismic survey explores geothermal targets for reservoir characterization at Unterhaching, Munich, Germany. In: Geothermics, Nummer 50 (2014), S. 167-179

Lüschen, E., Wolfgramm, M., Fritzer, T., Dussel, M., Thomas, R., and Schulz, R.: 3D seismic survey explores geothermal targets for reservoir characterization at Unterhaching, Munich, Germany: In: Geothermics, Nummer 50 (2014), S. 167-179

Lüschen, E.: Relationship between recent heat flow and seismic properties: Some notes from crustal research in Germany: In: Volc. Geothermal Res. Nummer 148/1-2 (2005), S. 41-45, [10.1016/j.jvolgeores.2005.04.012](https://doi.org/10.1016/j.jvolgeores.2005.04.012)

Majer E. L.: 3-D Seismic Methods for Geothermal Reservoir Exploration and Assessment - Summary. Lawrence Berkeley National Laboratory, 2004

Majer, E. L., Freeman, K., Johnson, L., Jarpe, S., Nihei, K. T., Hartline, C., Walter, M. & Denlinger, M.: Monitoring the effect of injection of fluids from the Lake County pipeline on seismicity at The Geysers, California, geothermal field: Final Report. Lawrence Berkeley National Laboratory, Calpine Corporation (Lake County, CA, 2017

Majer, E. L., McEvilly, T. V., Eastwood, F. S., and Mayer, L. R.: Fracture detection using P-wave and S-wave vertical seismic profiling at the Geysers. In: Geophysics, Nummer 53 S. 76-84

Mann, J. (2002). Extensions and Applications of the Common-Reflection-Surface Stack Method. Logos Verlag, Berlin.

Marfurt Kurt J. (2008), Attribute Enhancement of Seismic Noise). The Geophone. GEOPHYSICAL SOCIETY OF OKLAHOMA CITY.

Marfurt Kurt J., Scheet Ronald M., Sharp John A. and Harper Mark G. (1998): Suppression of the acquisition footprint for seismic sequence attribute mapping. Geophysics 63. SEG, Tulsa.

Marfurt Kurt J., Scheet Ronald M., Sharp John A. and Harper Mark G.: Suppression of the acquisition footprint for seismic sequence attribute mapping. In: Geophysics Nummer 63 (1988)

Matsushima, J., Okubo, Y., Rokugawa, S., Yokota, T., Tanaka, K., Tsuchiya, T., Narita, N.: Seismic reflector imaging by prestack time migration in the Kakkonda geothermal field, Japan. In: Geothermics Nummer 32(1) (February 2003), S. 79-99

Matzel, Eric, Steven Magana-Zook, Robert J. Mellors, Satish Pullammanappallil And Erika Gasperikova: Looking for Permeability on Combined 3D Seismic and Magnetotelluric Datasets with Machine Learning, Stanford Geothermal Workshop, 2021

Maurer V, Perrinel N, Dalmais E, Richard A, Plevy L, Genter A.: Towards a 3D velocity model deduced from 2D seismic processing and interpretation of in Northern Alsace (France): European geothermal congress 2016, Strasbourg, France. September 19–26. Aufgerufen: 2016

McFarlane, T., Davis, T.: Fracture determination of the Montney Formation using amplitude inversion of converted wave seismic. In: First Break Nummer 33 (2) (2015), S. 55-61

Mecking R., Buness, H., Rabbel. W., Thorwart, M., Kirsch, R., Hese, F., Krawczyk, C., M.: Seismische Messungen über einem Salzstock in Schleswig-Holstein: Rückschlüsse für geothermische Nutzung. In: DGG Jahrestagung (2014)

Mellors, Robert J., Naomi Marks, Satish Pullammanappalli, John Casteel, Trent Yang, Joseph Moore And Clay G. Jones, Imaging Geothermal Resources with 3D Seismic Attributes, Stanford Geothermal Workshop, 2015

Mellors, Robert J.; Magana-Zook, Steven; Pullammanappallil, Satish; Gasperikova, Erika, Using machine learning on combined 3D seismic and MT datasets, WGC, 2020

Melosh, Glenn,William Cumming, John Casteel, Kim Niggemann and Brian Fairbank, Seismic Reflection Data and Conceptual Models for Geothermal Development in Nevada, World Geothermal Congress, 2010

Meneses Rioseco, E., Ziesch, J., Buness, H., and Thomas, R.: Strukturanalyse und THModellierung auf Basis der GRAME 3D Seismik in München - Projekt GeoParaMoL: Der Geothermiekongress 2017, München, Deutschland. Aufgerufen: 2017

Middleton, M. F., Wilde, S. A., Evans, B. J., Long, A., Dentith, M., and Morawa, M.: Deep seismic reflection traverse over the Darling Fault Zone, Western Australia. In: Australian Journal of Earth Sciences Nummer 42 (1995), S. 83-93

Mikhailsevitch, V., Maxim Lebedev and Boris Gurevich: Laboratory measurements of the effect of fluid saturation on elastic properties of carbonates at seismic frequencies. In: Geoph. Prosp. Nummer 64 (2016), S. 799-810

Miller, John; Allis, Rick; Hardwick, Christian, Seismic Reflection Profiling at the FORGE Utah EGS Site, Geothermal Resources Council Transactions, 2018

Misiek, Rüdiger, Silke Bißmann: Mit Seismik den optimalen Standort finden - Strukturerkundung geothermischer Lagerstätten: In: bbr Fachmagazin für Brunnen- und Leitungsbau Nummer 10 (2010), S. 46

Mitchum R. M. Jr., Vail P. R. and Thompson S.: Seismic stratigraphy and global changes of sea level, part 2: The depositional sequence as a basic unit for stratigraphic analysis. . In: Am. As-

soc. Pet. Geol Nummer Memoir 26, In: Payton (edt.), Seismic stratigraphy - applications to hydrocarbon exploration (1977), S. 53-62

Mizutani, Shigeki, The Correlation Between Seismic and Logging Data and its Geological Interpretation in the Akinomiya/Wasabizawa Geothermal Area, Asian Geothermal Symposium, 2011

Moeck, Inga, Manfred Stiller, Marcin Pussak, Peter Meinert, Klaus Bauer, Stefan Bredel-Schürmann, Manfred Hauptmann, Geothermal Exploration in Megacities – Results from Reflection Seismic Surveying in Berlin (Germany), World Geothermal Congress, 2015

Mouri, T., N. Aoki, A. Hara, H. Mochinaga, T. Nibe, K. Satoh, Y. Kumano, M. Nakata, T. Shimada, Integrated Analysis Using 3d Seismic Survey in the Yamagawa Geothermal Field, Southwestern Japan, New Zealand Geothermal Workshop, 2017

Mouri, Takuji, Naoshi Aoki, Akio Hara, Hisako Mochinaga, Takao Nibe, Kaoru Satoh, Yusuke Kumano, Mamoru Nakata, Akira Fujiwara, Technical Development for Geothermal Exploration by Seismic Survey and the Second Verification Experiment, Stanford Geothermal Workshop, 2019

Müller, M.: Neue Vorstellungen zur Entwicklung des Nordostbayerischen Permokarbon-Trogs aufgrund reflexionsseismischer Messungen in der Mittleren Oberpfalz:
In: Geol. Bl. No Bay. Nummer 44 (1994), S. 195-224

Münch W., Sistenich P., Bücker C., Blanke T. (2005): Möglichkeiten der geothermischen Stromerzeugung im Oberrheingraben. VGB PowerTech 10/2005.

Muñoz, G., Bauer, K., Moeck, I., Schulze, A., Ritter, O.: Exploring the Groß Schönebeck (Germany) geothermal site using a statistical joint interpretation of magnetotelluric and seismic tomography models. In: Geothermics Nummer 39(1) (March 2010), S. 35-45

Mwakirani, Raymond: Intergrated Geophysical Model for Suswa Geothermal Prospect Using Resistivity, Seismics and Gravity Survey Data in Kenya, WGC, 2015

Nagra: 3D-Seismik Zürcher Weinland, Wettingen: Nationale Genossenschaft für die Lagerung radioaktiver Abfälle, 2000

Nakagome, O., Uchida, T., Horikoshi, T.: Seismic reflection and VSP in the kakkonda geothermal field, japan: fractured reservoir characterization. In: Geothermics Nummer 27(5) (14 August 1998), S. 535-552

Nakagome, Osamu; Ishii, Yoshinori; Uchida, Toshihiro; Horikoshi, Takamasa, Seismic Reflection & VSP in Some Geothermal Fields in Japan -- A Contribution to a Knowledge of Fractured Reservoir Characterization, Geothermal Resources Council Transactionsm 1996

Nakagome, Osuma, Yoshinori Ishii and Hirofumi Muraoka, Fracture Characterization Estimating from Seismic Methods (Tomography & VSP) and Pressure Transient Test in the Hohi Geothermal, World Geothermal Congress, 1995

Nejat M. R. S., Hassani H., Khorasani M. M., Javaherian A., Sokooti M. R. (2009): The Investigation of the Spectral Decomposition Application in Detecting Reef Reservoir on Abadan Plain, Iran. Australian Journal of Basic and Applied Sciences, 3(2).

Niitsuma, H., Fehler, M., Jones, R., Wilson, S., Albright, J., Green, A., Baria, R., Hayashi, K., Kaieda, H., Tezuka, K., Jupe, A., Wallroth, T., Cornet, F., Asanuma, H., Moriya, H., Nagano, K., Phillips, W., Rutledge, J., House, L., Beauce, A., Alde, D., Aster, R.: Current status of seismic and borehole measurements for HDR/HWR development. In: Geothermics Nummer 28(4) (August–October 1999), S. 475-490

Orilski, J.: Aufnahme eines vertikalen seismischen Profils (Kompressionswellen) - Geothermie-Bohrung Groß Buchholz Gt1: Hannover: Ergebnisbericht –," Leibniz-Institut für Angewandte Geophysik", 2013

Parker, L.M., Thurber, C.H. Zeng, X., Lord, N.E., Fratta, D., Wang, H.F., Robertson, M.C., Thomas, A.M., Karplus, M.S., Nayak, A. and Feigl, K.L.: Active-source seismic tomography at the Brady Geothermal Field, Nevada, with dense nodal and fibre-optic seismic arrays: In: Seismological Research Letters Nummer 89 (2018), S. 1629-1640, [doi: 10.1785/0220180085](https://doi.org/10.1785/0220180085).

Parker, T., Shatalin, S. and Farhadiroushan, M.: Distributed Acoustic Sensing-A New Tool for Seismic Applications: In: First Break Nummer 32 (2014), S. 61-69, [doi: 10.3997/1365-2397.2013034](https://doi.org/10.3997/1365-2397.2013034).

Paschen H., Oertel D., Grünwald R. (2003): Möglichkeiten geothermischer Stromerzeugung in Deutschland, Sachstandsbericht. TAB, Büro für Technologie-Folgenabschätzung beim Deutschen Bundestag, Berlin.

Paulsson, Bjorn N. P.; Toko, Julio L.; Thornburg, Jon A.; Slopko, Frank; He, Ruiqing; Zhang, Chang-hua, Development of 300°C Fiber Optic Seismic Sensors for Geothermal Reservoir Imaging and Monitoring, Geothermal Resources Council Transactions, 2013

Paulsson, Björn N.P., Julio L. Toko, Jon A. Thornburg, Frank Slopko, Ruiqing He, Chang-Hua Zhang, High Performance Fiber Optic Seismic Sensor System, Stanford Geothermal Workshop, 2013

Paulsson, Björn, Mike Wylie, Ruiqing He, Halley Hardiman, Carlos Mancía, Deep Patel, A Fiber Optic Single Well Seismic System for Geothermal Reservoir Imaging and Monitoring, WGC, 2020

Pavlova, M. and Reid, I.: Geophysical inversion of 3D seismic data in Panax\`s Limestone Coast Geothermal Project to determine reservoir porosity. In: Proceedings World Geothermal Congress, Bali, Indonesia, 25–29 April. 10pp. S. 2010

Per-Gunnar Alm, Leif Bjelm, Towed Array Seismic Exploration of the Thornqvist Zone, Stanford Geothermal Workshop, 2006

Perozzi L., Guglielmetti L., Moscariello A, Geothermal Reservoir Characterization Using Seismic and Machine Learning - A Case Study from the Geneva Basin, WGC, 2020

Piana Agostinetti, Nicola, Andrea Licciardi, SIM-CRUST: Seismic Imaging and Monitoring of the Upper Crust: Exploring the Potential Low-Enthalpy Geothermal Resources of Ireland, World Geothermal Congress, 2015

Pipan, Michele, Emanuele Forte, Anna Del Ben, Hugo Fernando Navas Alonzo, Geoffrey Giu-detti, Supriyanto Suparno, Seismic and Electromagnetic Study of Reservoir Properties for Geothermal Applications, World Geothermal Congress, 2010

Place J, Diraison M, Naville C, Géraud Y, Schaming M, Dezayes C.: Decoupling of deformation in the Upper Rhine Graben sediments Seismic reflection and diffraction on 3-component Vertical Seismic Profiling (Soultz-sous-Forêts area): In: CR Geosci. Nummer 342/8 (2010), S. 575-586

Poletto F., Farina B., Carcione J.M.: Analysis of seismic wave propagation in geothermal reservoirs: Proceeding (296), European Geothermal Congress. Aufgerufen: 2019

Poletto, F., Farina, B., Carcione, J.: Sensitivity of seismic properties to temperature variations in a geothermal reservoir: In: Geothermics Nummer 76() (November 2018), S. 149-163

Poletto, Flavio; Corubolo, Piero; Schleifer, Andrea; Farina, Biancamaria; Pollard, Joseph S.; Grozdanich, Brad, Seismic While Drilling for Geophysical Exploration in a Geothermal Well, Geothermal Resources Council Transactions, 2011

Popp, T. and Kern, H: The influence of dry and water saturated cracks on seismic velocities of crustal rocks - A comparison of experimental data with theoretical model,. In: Surv. Geophys. Nummer 15 (1994), S. 443-465

Preusche, C: Bewegung salinärer Porenwässer in der tertiären Füllung des süddeutschen Molassebeckens. Geologisches Institut Albert-Ludwigs-Universität Freiburg, http://www.geologie.uni-freiburg.de/root/people/diss/preusche/mol_de.html.

Puech, Jean-Claude, Claudio Strobbia, Jean-Luc Boelle, Elie-Pascal Cheou, Alexandre Chapart, Stijn Bos and Pierre Gallego: Frugal Seismic for Geothermal Industry: EGC. Aufgerufen: 2022

Puech, Jean-Claude, Jean-Luc Boelle, Elie-Pascal Cheou and Elodie Masounave, Seismic acquisition spacing parameters: How can I reduce the risk to be wrong? EGC Berlin, 2022

Pullammanappallil, Satish; Honjas, William; Unruh, Jeffrey; Monastero, Francis, Active and Passive Seismic Investigations in the Coso Geothermal Field, Eastern California, Geothermal Resources Council Transactions, 2004

Qiaomu Qi, Tobias M. Muller and Boris Gurevich: Saturation scale effect on time-lapse seismic signatures. In: Geoph. Prosp. Nummer 64 (2016), S. 1001-1016

Queen, John H., Thomas M. Daley, Ernest L. Majer, Kurt T. Nihei, Drew L. Siler, James E. Faulds, Surface Reflection Seismic and Vertical Seismic Profile at Brady's Hot Springs, NV, USA, Stanford Geothermal Workshop, 2016

Quijada, M., F., Steward, R., R.: Density estimations using density-velocity relations and seismic inversion. In: CREWES research report Nummer Bd. 19 (2007), S. 1-20

Rabbel, Szalaiova, Seismic Assessment of Geothermal Potential of Crystalline Crust, European Geothermal Conference, 2013

Rabbel, W. et al.: Seismic velocity uncertainties and their effect on geothermal predictions: A case study: In: Energy Procedia Nummer 125 (2017), S. 283-290

Rabbel, W., M. Thorwart, R. Behrend, N. Holzrichter, J. Niederau, A. Ebigo, G. Marquart, I. Dini, S. Ciuffi, A Stochastic Assessment of Geothermal Potential Based on Seismic and Potential Field Analysis and Hydro-thermal Forward Modeling – an Example from Southern Tuscany (Italy), World Geothermal Congress, 2015

Rauch-Davies, M. and Ralston, M. (2005): Spectral decomposition – transform methods and fluid and reservoir prediction case study. 67th Conference and Exhibition, EAGE.

Reinhardt, H.-G.: Structure of Northeast Germany: Regional depth and thickness maps of Permian to Tertiary intervals compiled from seismic reflection data. In: Spec. Pub. of the Europ. Petr. Geoscientists Nummer 3 (1993), S. 155-165

Reinsch, Jthomas, An Henniges, Julia Götz, Philippe Jousset, David Bruhn, Stefan Lüth, Distributed Acoustic Sensing Technology for Seismic Exploration in Magmatic Geothermal Areas, World Geothermal Congress, 2015

Reinsch, T. et al.: Distributed Acoustic Sensing Technology for Seismic Exploration in Magmatic Geothermal Areas: Melbourne, Proceedings World Geothermal Congress,. Datenbearbeitung und Interpretation der 3D-Messung Wiesbaden, Teil Wiesbaden –Endbericht.: LIAG-Bericht, Archiv-Nr. 132 392, 21S.; Hannover. 2014

Reiser, Fabienne, Cedric Schmelzbach, Stewart Greenhalgh, Hansruedi Maurer, Optimizing The Design Of Vertical Seismic Profiling (VSP) Surveys For Imaging Of Geothermal Reservoirs, European Geothermal Workshop, 2015

Ren, H., Wang, H., and Gong, T: Seismic modelling of scalar seismic wave propagation with finite-difference scheme in frequency-space domain. In: Geophysical Prospecting for Petroleum Nummer 48 (2009), S. 20-26

Richard, Alexandre, Clement Baujard, Vincent Maurer, Eleonore Dalmais, Ferenc Horvath, Franck Hanot, Towards Targeting Geothermal Reservoir : Guide From Survey Design To Processing Through Seismic Acquisition In Urban Context In Alsace, European Geothermal Workshop, 2015

Richard, Alexandre, Vincent Maurer, Hã@Lă"Ne Toubiana, Albert Genter, How to Upscale Geothermal Energy from Deep Fractured Basement in the Upper Rhine Graben? the Impact of a New 3D Seismic Data, WGC, 2020

Riedel, Marko, Cora Dutsch, Catherine Alexandrakis, Stefan Buske, Ivano Dini, Simonetta Ciuffi, Seismic Investigations of a Geothermal Field in Southern Tuscany, Italy, World Geothermal Congress, 2015

Ristow Dietrich (1997): Prestack-Poststack-Migration: Vorteile und Nachteile. 17. Mintrop-Seminar, Perspektiven in Akquisition und Processing seismischer Daten. Münster.

Rockel W., Hurter S. (2000): Tiefe Altbohrungen als Beitrag zur Nutzbarmachung klüftig - poröser Speichergesteine (geologische Grundlagen): Groß Schönebeck. Geothermie Report 2000-1, GeoForschungsZentrum Potsdam.

Rogers, S., Cosma, C., Shiner, P., Emsley, S., and Enescu, N.: VSP fracture imaging to bridge the well-to-seismic scale gap for a fractured carbonate reservoir: In: First Break Nummer 24 (2006), S. 77-83

Rogge, S. (2004): Geothermische Stromerzeugung in Deutschland, Ökonomie, Ökologie und Potenziale. Dissertation, Fakultät VI Bauingenieurwesen und Angewandte Geowissenschaften der Technischen Universität Berlin.

Ronghe, S., Surarat K. (2002): Acoustic impedance interpretation for sand distribution adjacent to a rift boundary fault, Suphan basin, Thailand. AAPG Bulletin 86.

Rüger Andreas (1995): Applicability of the Gaussian beam Approach for Modeling of Seismic Data in Triangulated Subsurface Models. Center of Wave Phenomena. Colorado School of Mines.

Runhai Feng, Niels Balling, Dario Grana: Lithofacies classification of a geothermal reservoir in Denmark and its facies-dependent porosity estimation from seismic inversion: In: Geothermics Nummer 87(S0375650519304961) (2020-09-30), S. 101854-, [10.1016/j.geothermics.2020.101854](https://doi.org/10.1016/j.geothermics.2020.101854)

Rüter, H. (1980): Flächenhafte Reflexionsseismische Messungen zur Erfassung der Mitteltektonik im Grenzbereich Deckgebirge – Karbon. In: Statusreport des BMFT, Berlin (1980)

Rüter, H. and R. Schepers: Investigation of the seismic response of cyclically layered carboniferous rock by means of synthetic seismograms. In: Geophysical Prospecting Nummer 26 (1978), S. 29-47

Rüter, H. and R. Schepers: Reflexionsseismische Erkundung des zyklisch geschichteten Steinkohlegebirges. In: Glückauf- Forschungshefte Nummer 38, H.6 (1977), S. 217-222

Rüter, H.: Anwendung reflexionsseismischer Verfahren bei der Erkundung oberflächennaher, horizontal geschichteter Lockergesteine. In: Berichte des Instituts für Geophysik der Ruhr- Universität Bochum, Reihe A Nummer 5 (1975)

Rüter, H.: Aufnahmegeometrien bei der Landesseismik. In: Mintrop Seminar Nummer 4 (1984)

Rüter, H.: Besonderheiten der Reflexionsseismik zur Erkundung von Steinkohlelagerstätten. In: Kolloquiumsband „Lagerstätten erfassung und Darstellung“ der TU Berlin (1976)

Rüter, H.: Reflexionsseismik unter Tage. In: Glückauf Nummer 115, Nr. 16 (1979), S. S. 818-82

Rüter, H. and C. Gelbke: Seismische Tomographie. In: Mintrop Seminar Nummer 6 (1986)

Rüter, H. and R. Schepers: Is it Possible to Increase the Resolution in Seismic Exploration for Coal by Using High Frequency Signals? In: Geophysical Prospecting Nummer 33 (1985), S. 1160 – 1173

Ryberg, T., Hole, J.A., Fuis, G.S., Rymer, M.J., Bleibinhaus, F., Stromeyer, D., Bauer, K.: Tomographic Vp and Vs structure of the California Central Coast Range, in the vicinity of SAFOD, from controlled-source seismic data. In: Geophysical Journal International Nummer 190 (2012), S. 1341–1360. <http://dx.doi.org/10.1111/j.1365-246X.2012.005585>.

Sahai Surinder and Soofi Khalid (2006): Use of Simple 2-D filters to Reduce Footprint Noise in Seismic Data. Geohorizons, July 2006.

Sahai Surinder and Soofi Khalid (2007): Footprints in Seismic Data. AAPG Explorer, January 2007.

Salaun, N.; Toubiana, H.: Dedicated High-resolution 3D seismic imaging to image deep geothermal reservoirs in the Upper Rhine Graben, Geothermal Resources Council Transactions, 2021

Sarmiento R. (1961): Geological Factors influencing Porosity Estimates from Velocity Logs. Bull. AAPG, Vol 45.

Sauer, K., Munck, F. (Hrsg.) Bearbeiter: Maget, P.; Neeb, I.; Tietze, R.; (1979): Geothermische Synthese des Oberrheingrabens (Bestandsaufnahme) Veröff. des geologischen Landesamtes Baden-Württemberg, Strasbourg/Freiburg.

Schelling, Dan; Allis, Rick; Sprinkel, Doug, Role of Seismic Reflection Profiles in Delineating Basin-Centered Geothermal Reservoirs, Geothermal Resources Council Transactions, 2013

Schlaf., J., Raden, T., Sonneland, L.: Introduction to seismic texture. In: Iske, A., Randen, T. (Hrsg.): Mathematics in industry - Mathematical methods and modelling in hydrocarbon exploration and production Nummer 7 (2005), S. 3-21

Schlumberger (2008): Petrel 2008 Online help. Houston, TX USA.

Schuck, A., Vormbaum, M., Gratzl, S. & Stober, I.: Seismische Modellierung zur Detektierbarkeit von Störungen im Kristallin. In: Erdöl Erdgas Kohle: (2012), Nummer 128, H. 1, S. 14-20

Schuler, J. et al.: Seismic imaging of the shallow crust beneath the Krafla central volcano, NE Iceland: In: Journal of Geophysical Research: Solid Earth Nummer 120 (2015), S. 7156–7173

Schulz R. (2006): Erstellung eines Geothermischen Informationssystems für Deutschland. Vortrag: Informationsveranstaltung für die SGD, Hannover.

Schulz, R. & Thomas, R: Verbundprojekt Seismik im Kristallin: 1. Zwischenbericht, LIAG Bericht: 3 S.; Hannover, 2012

Schulz, R. & Von Hartmann, H.: 3D-seismische Messungen im Kristallin unter besonderer Berücksichtigung lithologischer und struktureller Klassifizierungen des geothermischen Reservoirs durch seismische Attributanalysen –Teil: Seismische

Schwarz, M., Becker, A. & Schäfer, A.: Seismische Leithorizonte im nordöstlichen Saar - Nahe - Becken. In: Erdöl, Erdgas, Kohle Nummer 127 (1) (2011), S. 28-34

Sena-Lozoya, E., B., M. González-Escobar, E. Gómez-Arias, A. González-Fernández, M. Gómez-Ávila: Seismic exploration survey northeast of the Tres Virgenes Geothermal Field, Baja Cali-

fornia Sur, Mexico: A new Geothermal prospect:

In: Geothermics Nummer 84(S0375650519303013) (2020-03-31), S. 101743-,
[10.1016/j.geothermics.2019.101743](https://doi.org/10.1016/j.geothermics.2019.101743)

Shih, R., Wang, C., Chen, W., Wang, Y., Kuo, H., Yen, T., Huang, C., Chang, Y., Chung, C., Hung, M., Chang, Y.: Seismic reflection profiling of the first deep geothermal field in Taiwan: In: Geothermics Nummer () (Available online 12 February 2018), S.

Shiplin, V., D. C. Tanner, H. Von Hartmann, I. Moeck: Multiphase, decoupled faulting in the Southern German Molasse Basin - evidence from 3D-seismic data: In: Solid Earth Nummer 11, 6 (2020), S. 2097-2117, <https://doi.org/10.5195/se-11-2097-2020>

Shiplin, V., D. C. Tanner, I. Moeck, H. von Hartmann: Facies and structural interpretation of 3D seismic data in a foreland basin setting: A case study of the geothermal prospect of Wolf-ratshausen: In: GTE Nummer 91 (2019), S. 24-26

Shuey R. T. (1985): A simplification of the Zoeppritz equations. Geophysics 50, 609–614.

Siniscalchi, A., Tripaldi, S., Romano, G., Chiodini, G., Improta, L., Petrillo, Z., et al.: Reservoir structure and hydraulic properties of the Campi Flegrei geothermal system inferred by audio-magnetotelluric, geochemical, and seismicity study: In: Journal of Geophysical Research: Solid Earth Nummer 124 (2019), S. 5336-5356, [doi:10.1029/2018JB016514](https://doi.org/10.1029/2018JB016514)

Smith, A.T., P. Kasameyer, High-Resolution Seismic Studies Applied to Injected Geothermal Fluids, Stanford Geothermal Workshop, 1985

Smith, David A.; Hild, Jim; Pfeiffer, Jim; Drakos, Peter, Source-Generated Seismic Noise in 2-D Reflection Surveys in the Basin and Range Physiographic Province: Issues, Attenuation and Case Histories, Geothermal Resources Council Transactions, 2011

Stagpoole, V.: Interpretation of refraction seismic and gravity data across the eastern margin of the Taupo Volcanic Zone, New Zealand: In: Geothermics Nummer 23(5) (October–December 1994), S. 501-510

Stankiewicz, J., Bauer, K., Ryberg, T.: Lithology classification from seismic tomography: additional constraints from surface waves. In: Journal of African Earth Sciences Nummer 58 (2010), S. 547-552, <http://dx.doi.org/10.1016/j.jafrearsci.2010.05.01>

Stankiewicz, J., Ryberg, T., Haberland, C., Fauzi, Natawidjaja, D.: Lake Toba volcano magma chamber imaged by ambient seismic noise tomography. In: Geophysical Research Letters Nummer 37 (17) (2010), S. L17306

Stevens, J.L., J. W. Pritchett, S. K. Garg, K. Ariki, S. Nakanishi and S. Yamazawa, Seismic Methods for Observing Geothermal Field Evolution, World Geothermal Congress, 2000

Stiller, M., Krawczyk, C. M., Bauer, K., Henniges, J., Norden, B., Huenges, E., Spalek, A.: 3D-Seismik am Geothermieforschungsstandort Groß Schönebeck.:
In: BBR - Leitungsbau Brunnenbau Geothermie, Bonn. (2018)

Stork, A., A. Chalari, M. Mondanos, T. Coleman, M. Farhadiroushan: Seismic Methods for Geothermal Reservoir Characterization and Monitoring Using Fiber Optic Distributed Acoustic and Temperature Sensor: DGK, München, EAGE, FKPE. Aufgerufen: 2019

Suzuki, Koichi and Hideshi Kaieda, Geological Structure Around the Ogachi Hot Dry Rock Test Site Using Seismic Reflection and Csamt Surveys, World Geothermal Congress, 2000

Szewczyk, D., Andreas Bauer and Rune M. Holt: A new laboratory apparatus for the measurement of seismic dispersion under deviatoric stress conditions. In: Geoph. Prosp. Nummer 64 (2016), S. 789-799

Tanaka, Keiji, Toshimasa Tajama, David Escobar, Hiroshi Takahashi and Shigeyuki Yamazawa, Development of Seismic Measurement Technology to Detect Changes in Reservoirs Using Active Sources, World Geothermal Congress, 2000

Taner M. Turhan (2000): Attributes Revisited. Rock Solid Images. Houston, Texas.

Taner M. Turhan (2001): Seismic Attributes. CSEG Recorder, September 2001.

Taner T.H., Sheriff R. E., Koehler, F. (1979): Complex Seismic Trace Analysis. Geophysics. Vol. 44.

Tang, C., J.A. Rial, J. Lees and E. Thompson, Seismic Imaging of the Geothermal Field at Krafla, Iceland, Stanford Geothermal Workshop, 2005

Telford W.M., Geldart L.P., Sheriff R.E.: (1990): Applied Geophysics Second Edition, Cambridge University Press.

Ten Veen, J., De Haan, H., De Bruin, G., Holleman, N., and Schöler, W.: Seismic Interpretation and Depth Conversion of the Dinantian carbonates in the Dutch subsurface: S, 2019

Thomas, R., Lüschen, E., Schulz, R.: Seismic reflection exploration of Karst phenomena of a geothermal reservoir in Southern Germany: In: Proc. World Geothermal Congress, Bali, Indonesia (2010)

Thomas, Rüdiger and Rüdiger Schulz, Facies Differentiation of the Malm by Interpretation of Reflection Seismic Profiles and a Moving Source VSP Experiment, European Geothermal Conference, 2007

Thomas, Rüdiger, Ewald Lueschen, Ruediger Schulz, Seismic Reflection Exploration of Karst Phenomena of a Geothermal Reservoir in Southern Germany, World Geothermal Congress, 2010

Thurber, C., Roecker, S., Ellsworth, W., Chen, Y., Lutter, W., Sessions, R.: Two-dimensional seismic image of the San Andreas Fault in the Northern Gabilan Range, central California: evidence for fluids in the fault zone. In: Geophysical Research Letters Nummer 24 (13) (1997), S. 1591–1594

Tibuleac, I. M., Iovenitti, J., von Seggern, D., Sainsbury, J., Biasi, G., and Anderson, J. G.: Development of exploration methods for engineered geothermal systems through integrated geophysical, geologic and geochemical interpretation: The seismic analysis component: In: 38th Workshop on Geothermal reservoir Engineering Stanford Universität

Tibuleac, Ilieana, David Von Seggern, Joe Iovenitti, Jon Sainsbury, EGS Exploration Methodology Development Using the Dixie Valley Geothermal District as a Calibration Site. The Seismic Analysis Component, Stanford Geothermal Workshop, 2013
Tibuleac, Ilieana, David Von Seggern, Joe Iovenitti, Jon Sainsbury, EGS Exploration Methodology Development Using the Dixie Valley Geothermal District as a Calibration Site. The Seismic Analysis Component, Stanford Geothermal Workshop, 2013

Tognarelli, A., E. Stucchi, A. Mazzotti: Velocity model estimation by means of Full Waveform Inversion of transmitted waves: An example from a seismic profile in the geothermal areas of Southern Tuscany, Italy: In: Geothermics Nummer 88(S0375650520301863) (2020-11-30), S. 101894-, [10.1016/j.geothermics.2020.101894](https://doi.org/10.1016/j.geothermics.2020.101894)

Tognarelli, Aleardi, Mazzotti, Ciuffi, Casini, Evidence of fractures on seismic data for geothermal exploration, European Geothermal Conference, 2013

Toubiana, Helene, Nicolas Salaun, Jean-Baptiste Mitschler, Guillaume Gigou, Xavier Carriere, Alexandre Richard, Vincent Maurer, Designed 3D Seismic Imaging to Better Understand Geothermal Faulted Reservoir, an Upper Rhine Graden Case History, WGC, 2020

Trappe H., Gierse M., Föll M. (2001): Seismic Reservoir characterization using CRS-Stacking Techniques. TEEC Technical Note #12. TEEC. Isernhagen.

Tulinus, Helga, Ingunn María Þorbergsóttir, László Ádám, Zuzhi Hu, Gang Yu, Geothermal Evaluation in Hungary Using Integrated Interpretation of Well, Seismic and MT Data, World Geothermal Congress, 2010

Um, J., Thurber, C.: A fast algorithm for two-point seismic ray tracing. In: Bulletin of the Seismological Society of America Nummer 77, USGS National Earthquake Information Center, 2012. (Available on) <http://earthquake.usgs.gov> (accessed on 10 June 2013). (1987), S. 972-986

Unruh, Jeffrey, Satish Pullammanappallil, William Honjas, Francis Monastero, New Seismic Imaging of The Coso Geothermal Field, Eastern California, Stanford Geothermal Workshop, 2001

Unruh, Jeffrey; Gray, Brian; Christopherson, Karen; Pullammanappallil, Satish; Alm, Steve; Blake, Kelly, Seismic Reflection and Magnetotelluric Imaging of Southwestern Dixie Valley Basin, Nevada, Geothermal Resources Council Transactions, 2016

Upadhyay S. K. (2004): Seismic Reflection Processing. Springer. Heidelberg.

Veeken Paul C.H. (2007): Seismic Stratigraphy, Basin Analysis And Reservoir Characterisation. Handbook Of Geophysical Exploration, Seismic Exploration, Volume 37. Elsevier, Amsterdam.

Veeken, Paul C. H., M. Rauch-Davies (2006): AVO attribute analysis and seismic reservoir characterisation. First Break 24 (2).

Vermeer Gijs, O. (2002): 3-D seismic survey design. Geophysical references v.12. SEG, Tulsa.

Vermeer, G.J.O (1998): 3-D symmetric sampling, Geophysics, 63,1629-1647.

Vermeer, G.J.O., Hornmann K. (2000): Introduction to a 3D design problem. First Break, 18, 5, 171-176.

Walgenwitz, F. (1979): Geothermische Synthese des Oberrheingrabens (Bestandsaufnahme). Geologisches Landesamt Baden-Württemberg, Strasbourg– Freiburg,

Weber Franz (1985): Die seismische Faziesanalyse als Hilfsmittel der Braunkohlengeologie und -prospektion. Festschrift W. E. Petrascheck, VO Mitt, österr. geol. Ges., 78, Wien

Weemstra, C., A. Obermann, A. Verdel, B. Paap, H. Blanck, E. Gunason, G. P. Hersir, P. Jousset and Ó. Sigurdsson: Time-lapse seismic imaging of the Reykjanes

geothermal reservoir: Proc. European Geothermal Congress, Strasbourg, France. Aufgerufen: 2016

White, M., D., Davis, T., L.: Time-lapse seismic monitoring of hydraulic fracture stimulation within the Niobrara-Codell reservoir Wattenberg field, Colorado. In: First Break Nummer 34 (2016)

Wilde, S. A., Middleton, M. F., and Evans, B. J.: Terrane accretion in the southwestern Yilgarn Craton: evidence from a deep seismic crustal profile: In: Precambrian Research Nummer 78 (1996), S. 179-196

Wittig, Volker, Flavio Poletto, Andrea Schleifer, Rolf Bracke, Hydraulic DTH Fluid Hammer Drilling as a Seismic While Drilling (SWD) Source for Geothermal Exploration and Drilling Prediction, World Geothermal Congress, 2015

Wollin, C., Lueth, S., Lipus, M. P., Cunow, C., Siebert, A., Jousset, P.: Vibrator-source exploration seismics in urban environments using DAS, a feasibility study in Potsdam, Germany: Annual Meeting Seismological Society of America. Aufgerufen: 2021, [GFZPublic](#)

Yadav, Kriti and Anirbid Sircar, Joint Inversion of Seismic and Geoelectric Sounding Using Genetic Algorithm for Geothermal Prospect Identification, WGC, 2020

Yilmaz. O. (1987): Seismic Data Processing, SEG, Tulsa

Yingcai, Zheng; Li, Jiakuan; Hu, Hao; Gao, Kai; Huang, Lianjie; Cladouhos, Trenton: Seismic Double-beam Neural Network Approach to Characterizing Small-Scale Fractures in Geothermal Fields, Geothermal Resources Council Transactions, 2021

Yoon, Byoungjoon , Kwon Gyu Park, Changhyun Lee, Kichang Yang, Yoonho Song, Tae Jong Lee, Inhwa Park, Pre-processing for Seismic While Drilling Data with Unfavorable Pilot Condition Acquired in the Vicinity of Geothermal Well in Pohang, Korea, World Geothermal Congress, 2015

Yoshikawa, M., Y. Sudo, J. M. Londono, H. U. Masuda, S. Yoshikawa & S. Taguchi, Three Dimensional Seismic Velocity Structure in the Otake-Hatchobaru Geothermal Area in Central Kyushu, Japan, New Zealand Geothermal Workshop, 2003

Yoshimura, Y., Nakagome, O., Okazaki, K., Ikawa, T., Kuroda, T., Seismic Exploration in the Fushime Geothermal Field, Kagoshima Prefecture, Japan International Geothermal Symposium, 1988

Young R., LoPiccolo R. (2003): A comprehensive AVO classification. The Leading Edge. October Issue.

Young R., LoPiccolo R. (2005): AVO analysis demystified. E&P Oktober 2005. Hart Energy Publishing. Houston TX.

Zhou, Xixiang , Benshan Zhong and Yun Dai, A Static Correction Technique for Seismic Survey in Rugged Exploration Areas, World Geothermal Congress, 2000

Zoeppritz, K. (1919): On the reflection and propagation of seismic waves at discontinuities, Erdbebenwellen VIIB, Goettinger Nachrichten I.

Zoeppritz, K.: On the reflection and propagation of seismic waves at discontinuities. Erdbebenwellen VIIB, Goettinger Nachrichten I, 1919

Zucca, J. J.; Evans, J. R., Seismic Imaging for Velocity and Attenuation Structure in Geothermal Fields, Geothermal Resources Council Transactions, 1989

Zucca, J., Hutchings, L., Kasameyer, P.: Seismic velocity and attenuation structure of the Geysers geothermal field, California. In: Geothermics Nummer 23(2) (April 1994), S. 111-126